BRAIN RESEARCH

VOL. 531 NOS. 1/2 CONTENTS 29 OCTOBER 1990

Announcement from the Publisher v

Research Reports

Cholera toxin-B subunit blocks excitatory effects of opioids on sensory neuron action potentials indicating that GM1 ganglioside may regulate G_s-linked opioid receptor functions
K.-F. Shen and S.M. Crain (U.S.A.) 1

Duration and severity of hypoglycemia needed to induce neuropathy
S. Yasaki and P.J. Dyck (U.S.A.) 8

$GABA_A$/benzodiazepine receptor localization in the circadian timing system
K.M. Michels, L.P. Morin and R.Y. Moore (U.S.A.) 16

Enzyme histochemical profiles of fish spinal motoneurons after cordotomy and axotomy of motor nerves
E. van Asselt, W. van Raamsdonk, F. de Graaf, M.J. Smit-Onel, P.C. Diegenbach and B. Heuts (The Netherlands) 25

Increased immunoreactivity of brain spectrin in Alzheimer disease: a marker for synapse loss?
E. Masliah, D.S. Iimoto, T. Saitoh, L.A. Hansen and R.D. Terry (U.S.A.) 36

Frontal lobe contribution to voluntary movements in humans
J. Singh and R.T. Knight (U.S.A.) 45

$GABA_B$ receptors play a major role in paired-pulse facilitation in area CA1 of the rat hippocampus
T. Nathan, M.S. Jensen and J.D.C. Lambert (Denmark) 55

Evidence for an enkephalinergic system in the nervous system of the pond snail, *Lymnaea stagnalis*
M.K. Leung, H.H. Boer, J. van Minnen, J. Lundy and G.B. Stefano (U.S.A., The Netherlands) 66

Effects of MK-801 upon local cerebral glucose utilisation in conscious rats following unilateral lesion of caudal entorhinal cortex
A. Kurumaji and J. McCulloch (U.K.) 72

MK-801 blocks dynorphin A (1–13)-induced loss of the tail-flick reflex in the rat
L. Isaac, T. van Zandt O'Malley, H. Ristic and P. Stewart (U.S.A.) 83

Kindling-induced epilepsy alters calcium currents in granule cells of rat hippocampal slices
I. Mody, J.N. Reynolds, M.W. Salter, P.L. Carlen and J.F. MacDonald (U.S.A., Canada) 88

The role of striatopallidal neurones utilizing gamma-aminobutyric acid in the pathophysiology of MPTP-induced parkinsonism in the primate: evidence from [^{3}H]flunitrazepam autoradiography
R.G. Robertson, C.A. Clarke, S. Boyce, M.A. Sambrook and A.R. Crossman (U.K.) 95

Effects of hypoxia-ischemia and seizures of neuronal and glial-like c-*fos* protein levels in the infant rat
A.J. Gunn, M. Dragunow, R.L.M. Faull and P.D. Gluckman (New Zealand) 105

Dye-induced 'photo-degeneration' and 'photo-permeabilization' of mammalian neurons in vivo
S. Picaud, L. Peichl and N. Franceschini (F.R.G., France) 117

Phosphorylation characteristics of the A68 protein in Alzheimer's disease
I.J. Vincent and P. Davies (U.S.A.) 127

A comparison of cerebral blood flow during basal, hypotensive, hypoxic and hypercapnic conditions between normal and streptozotocin diabetic rats
R.E. Simpson III, J.W. Phillis and J. Buchannan (U.S.A.) 136

Estradiol-induced prolactinomas: differential effects on dopamine in posterior pituitary and median eminence
R.A. Burgett, P.A. Garris and N. Ben-Jonathan (U.S.A.) 143

Sustained increases in cerebrospinal fluid quinolinic acid concentrations in rhesus macaques (*Macaca mulatta*) naturally infected with simian retrovirus type-D
M.P. Heyes, M. Gravell, W.T. London, M. Eckhaus, J.H. Vickers, J.A. Yergey, M. April, D. Blackmore and S.P. Markey (U.S.A.) 148

Increase of tyrosine hydroxylase-like immunoreactive neurons in the nucleus accumbens and the olfactory bulb in the rat with the lesion in the ventral tegmental area of the midbrain
Y. Tashiro, T. Kaneko, I. Nagatsu, H. Kikuchi and N. Mizuno (Japan) 159

Central vasopressin pretreatment sensitizes phosphoinositol hydrolysis in the rat septum
C.J. Lebrun, M.G. Gruber, M. Meister and Th. Unger (F.R.G.) 167

The pattern of 72-kDa heat shock protein-like immunoreactivity in the rat brain following fluorothyl-induced status epilepticus
D.H. Lowenstein, R.P. Simon and F.R. Sharp (U.S.A.) 173

The effect of NMDA receptor glycine site antagonists on hypoxia-induced neurodegeneration of rat cortical cell cultures
T. Priestley, A.L. Horne, R.M. McKernan and J.A. Kemp (U.K.) 183

Activity of cat locus coeruleus noradrenergic neurons during the defense reaction
E.S. Levine, W.J. Litto and B.L. Jacobs (U.S.A.) 189

The role of serotonin in non-cholinergic excitatory transmission in the guinea pig inferior mesenteric ganglion
W. Wang and R. Ma (People's Republic of China) 196

Glucose utilization and reflex activity of the transected rat spinal cord
O.U. Scremin, M. O'Neal and A.M.E. Scremin (U.S.A.) 203

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

BRAIN RESEARCH

VOL. 531 NOS. 1/2 CONTENTS 29 OCTOBER 1990

Announcement from the Publisher v

Research Reports

Cholera toxin-B subunit blocks excitatory effects of opioids on sensory neuron action potentials indicating that GM1 ganglioside may regulate G_s-linked opioid receptor functions
K.-F. Shen and S.M. Crain (U.S.A.) 1

Duration and severity of hypoglycemia needed to induce neuropathy
S. Yasaki and P.J. Dyck (U.S.A.) 8

$GABA_A$/benzodiazepine receptor localization in the circadian timing system
K.M. Michels, L.P. Morin and R.Y. Moore (U.S.A.) 16

Enzyme histochemical profiles of fish spinal motoneurons after cordotomy and axotomy of motor nerves
E. van Asselt, W. van Raamsdonk, F. de Graaf, M.J. Smit-Onel, P.C. Diegenbach and B. Heuts (The Netherlands) 25

Increased immunoreactivity of brain spectrin in Alzheimer disease: a marker for synapse loss?
E. Masliah, D.S. Iimoto, T. Saitoh, L.A. Hansen and R.D. Terry (U.S.A.) 36

Frontal lobe contribution to voluntary movements in humans
J. Singh and R.T. Knight (U.S.A.) 45

$GABA_B$ receptors play a major role in paired-pulse facilitation in area CA1 of the rat hippocampus
T. Nathan, M.S. Jensen and J.D.C. Lambert (Denmark) 55

Evidence for an enkephalinergic system in the nervous system of the pond snail, *Lymnaea stagnalis*
M.K. Leung, H.H. Boer, J. van Minnen, J. Lundy and G.B. Stefano (U.S.A., The Netherlands) 66

Effects of MK-801 upon local cerebral glucose utilisation in conscious rats following unilateral lesion of caudal entorhinal cortex
A. Kurumaji and J. McCulloch (U.K.) 72

MK-801 blocks dynorphin A (1–13)-induced loss of the tail-flick reflex in the rat
L. Isaac, T. van Zandt O'Malley, H. Ristic and P. Stewart (U.S.A.) 83

Kindling-induced epilepsy alters calcium currents in granule cells of rat hippocampal slices
I. Mody, J.N. Reynolds, M.W. Salter, P.L. Carlen and J.F. MacDonald (U.S.A., Canada) 88

The role of striatopallidal neurones utilizing gamma-aminobutyric acid in the pathophysiology of MPTP-induced parkinsonism in the primate: evidence from [^{3}H]flunitrazepam autoradiography
R.G. Robertson, C.A. Clarke, S. Boyce, M.A. Sambrook and A.R. Crossman (U.K.) 95

Effects of hypoxia-ischemia and seizures of neuronal and glial-like c-*fos* protein levels in the infant rat
A.J. Gunn, M. Dragunow, R.L.M. Faull and P.D. Gluckman (New Zealand) 105

Dye-induced 'photo-degeneration' and 'photo-permeabilization' of mammalian neurons in vivo
S. Picaud, L. Peichl and N. Franceschini (F.R.G., France) 117

Phosphorylation characteristics of the A68 protein in Alzheimer's disease
I.J. Vincent and P. Davies (U.S.A.) 127

A comparison of cerebral blood flow during basal, hypotensive, hypoxic and hypercapnic conditions between normal and streptozotocin diabetic rats
R.E. Simpson III, J.W. Phillis and J. Buchannan (U.S.A.) 136

Estradiol-induced prolactinomas: differential effects on dopamine in posterior pituitary and median eminence
R.A. Burgett, P.A. Garris and N. Ben-Jonathan (U.S.A.) 143

Sustained increases in cerebrospinal fluid quinolinic acid concentrations in rhesus macaques (*Macaca mulatta*) naturally infected with simian retrovirus type-D
M.P. Heyes, M. Gravell, W.T. London, M. Eckhaus, J.H. Vickers, J.A. Yergey, M. April, D. Blackmore and S.P. Markey (U.S.A.) 148

Increase of tyrosine hydroxylase-like immunoreactive neurons in the nucleus accumbens and the olfactory bulb in the rat with the lesion in the ventral tegmental area of the midbrain
Y. Tashiro, T. Kaneko, I. Nagatsu, H. Kikuchi and N. Mizuno (Japan) 159

Central vasopressin pretreatment sensitizes phosphoinositol hydrolysis in the rat septum
C.J. Lebrun, M.G. Gruber, M. Meister and Th. Unger (F.R.G.) 167

The pattern of 72-kDa heat shock protein-like immunoreactivity in the rat brain following fluorothyl-induced status epilepticus
D.H. Lowenstein, R.P. Simon and F.R. Sharp (U.S.A.) 173

The effect of NMDA receptor glycine site antagonists on hypoxia-induced neurodegeneration of rat cortical cell cultures
T. Priestley, A.L. Horne, R.M. McKernan and J.A. Kemp (U.K.) 183

Activity of cat locus coeruleus noradrenergic neurons during the defense reaction
E.S. Levine, W.J. Litto and B.L. Jacobs (U.S.A.) 189

The role of serotonin in non-cholinergic excitatory transmission in the guinea pig inferior mesenteric ganglion
W. Wang and R. Ma (People's Republic of China) 196

Glucose utilization and reflex activity of the transected rat spinal cord
O.U. Scremin, M. O'Neal and A.M.E. Scremin (U.S.A.) 203

(contents continued on p. 360)

Cited in Biological Abstracts (BIOSIS) — Chem. Abstracts — Index Medicus — Current Contents (Life Sci.) — Excerpta Medica (EMBASE) — Psychological Abstracts (PsycINFO) — PASCAL M

(contents continued)

The morphology of regenerating peripheral nerves is modulated by the surface microgeometry of polymeric guidance channels
P. Aebischer, V. Guénard and R.F. Valentini (U.S.A.) 211
Antibody to a soluble protein purified from brain selectively labels layer V corticofugal projection neurons in rat neocortex
B.B. Stanfield and D.M. Jacobowitz (U.S.A.) 219
Exposure to excess glucocorticoids alters dendritic morphology of adult hippocampal pyramidal neurons
C.S. Woolley, E. Gould and B.S. McEwen (U.S.A.) 225
Effects of medial septal lesions on operant delayed alternation in rats
R. Numan and J.R. Quaranta Jr. (U.S.A.) 232
The evolution of nigrostriatal neurochemical changes in the MPTP-treated squirrel monkey
I. Irwin, L.E. DeLanney, L.S. Forno, K.T. Finnegan, D.A. Di Monte and J.W. Langston (U.S.A.) 242
Intraventricular injection of neurotensin reduces dopamine D_2 agonist binding in rat forebrain and intermediate lobe of the pituitary gland. Relationship to serum hormone levels and nerve terminal coexistence
G. von Euler, B. Meister, T. Hökfelt, P. Eneroth and K. Fuxe (Sweden) 253
Noxious stimulation of the toes evokes long-lasting, naloxone-reversible suppression of the sural-gastrocnemius reflex in the rabbit
J.S. Taylor, J.S. Pettit, J. Harris, T.W. Ford and R.W. Clarke (U.K.) 263
Differential effects of olfactory bulbectomy on β-adrenoceptors in rat amygdala, hippocampus and cerebral cortex
A.H.K. Tiong and J.S. Richardson (Canada) 269

Short Communications

The 70-kDa epileptic cortical protein elicits bursting activity accompanied by a reduction of outward current in *Euhadra* neurons which is inhibited by an antibody against this protein
M. Onozuka, S. Imai and S. Ozono (Japan) 276
Microinjection of TRH analogs into the raphe pallidus stimulates gastric acid secretion in the rat
H. Yang, T. Ishikawa and Y. Taché (U.S.A.) 280
Afferent stimulation frequency modulates GABAergic phenomena in the spinal cord: reversal by benzodiazepine antagonists
P. Polc and I. Dučić (Switzerland) 286
Dibutyryl cAMP stimulates analgesia in rats bearing a ventricular adrenal medulla transplant
M.T. Pacheco-Cano, F. García-Hernández, M. Hiriart, B.R. Komisaruk and R. Drucker-Colín (Mexico, U.S.A.) 290
Exposure to triphenyl phosphite results in widespread degeneration in the mammalian central nervous system
D. Tanaka Jr., S.J. Bursian, E.J. Lehning and R.J. Aulerich (U.S.A.) 294
Oxytocin neurons in the rat hypothalamus exhibit c-*fos* immunoreactivity upon osmotic stress
L. Giovanelli, P.J. Shiromani, G.F. Jirikowski and F.E. Bloom (U.S.A.) 299
Rate of re-entrainment of circadian rhythms to advances of light-dark cycles may depend on ways of shifting the cycles
M. Humlová and H. Illnerová (Czechoslavakia) 304
Hippocampal kindling alters the concentration of glial fibrillary acidic protein and other marker proteins in rat brain
A. Hansen, O.S. Jørgensen, T.G. Bolwig and D.I. Barry (Denmark) 307
Sexual dimorphisms in the vocal control system of a teleost fish: ultrastructure of neuromuscular junctions
A. Fluet and A. Bass (U.S.A.) 312
The benzodiazepine receptor in cultured astrocytes from genetically epilepsy-prone rats
I. Ducis, L.-O.B. Norenberg and M.D. Norenberg (U.S.A.) 318
Chronic cocaine administration alters corticotropin-releasing factor receptors in the rat brain
N.E. Goeders, O.J. Bienvenu and E.B. De Souza (U.S.A.) 322
Effects of beta-endorphin on DNA synthesis in brain regions of preweanling rats
B.A. Lorber, S.K. Freitag and J.V. Bartolome (U.S.A.) 329
Autoradiographic distribution of brain neurokinin-1/substance P receptors using a highly selective ligand [^{3}H]-[Sar^9, Met(O$_2$)^{11}]-substance P
T.-V. Dam, B. Martinelli and R. Quirion (Canada, Italy) 333
Daily cocaine treatment produces a persistent reducution of [^{3}H]dopamine uptake in vitro in rat nucleus accumbens but not in striatum
Izenwasser, S. and Cox, B.M. (U.S.A.) 338
Is there a role for an endothelium-derived relaxing factor in nociception?
S.T. Meller, S.J. Lewis, J.N. Bates, M.J. Brody and G.F. Gebhart (U.S.A) 342
Opioid peptide regulation of neurons in the bed nucleus of the stria terminalis: a microiontophoretic study
M. Dalsass and A. Siegel (U.S.A.) 346
Excitatory amino acid involvement in retinal degeneration
R.J. Ulshafer, D.M. Sherry, R. Dawson Jr. and D.R. Wallace (U.S.A.) 350
n-Hexane induces Parkinsonism in rodents
G. Pezzoli, S. Ricciardi, C. Masotto, C.B. Mariani and A. Carenzi (Italy) 355

Author Index 358